



# aircare

## TIRE SEALANT

### High speed - on the road - pavement

#### 12" wheel

Tire size	oz	mL	L	Cup
4.80-12	10	296	0.30	1 1/4
5.30-12	11	325	0.33	1 3/8
6.90-12	16	473	0.47	2
23.5x8.50-12	20	591	0.59	2 1/2
26x8-12	21	621	0.62	2 5/8
26x10-12	26	769	0.77	3 1/4
27x9-12	24	710	0.71	3
27x11-12	30	887	0.89	3 3/4
28x10-12	28	828	0.83	3 1/2
28x12-12	32	946	0.95	4
29.5x10-12	29	858	0.86	3 5/8
29.5x12-12	36	1065	1.07	4 1/2

#### 13" wheel

Tire size	oz	mL	L	Cup
6.00-13	14	414	0.41	1 3/4
6.50-13	15	444	0.44	1 7/8
7.00-13	17	503	0.50	2 1/8

#### 14" wheel

Tire size	oz	mL	L	Cup
6.45-14	14	414	0.41	1 3/4
7.00-14	15	444	0.44	1 7/8
7.35-14	17	503	0.50	2 1/8
7.75-14	21	621	0.62	2 5/8
7.90-14	21	621	0.62	2 5/8
8.25-14	23	680	0.68	2 7/8
8.55-14	24	710	0.71	3
11.00-14	35	1035	1.04	4 3/8
225/50-14	20	591	0.59	2 1/2
245/50-14	23	680	0.68	2 7/8
265/50-14	25	739	0.74	3 1/8
255/55-14	25	739	0.74	3 1/8
175/60-14	15	444	0.44	1 7/8
185/60-14	17	503	0.50	2 1/8
195/60-14	18	532	0.53	2 1/4
205/60-14	19	562	0.56	2 3/8
215/60-14	20	591	0.59	2 1/2
225/60-14	22	651	0.65	2 3/4
235/60-14	23	680	0.68	2 7/8
245/60-14	25	739	0.74	3 1/8

255/60-14	26	769	0.77	3 1/4
265/60-14	28	828	0.83	3 1/2
275/60-14	29	858	0.86	3 5/8
165/65-14	15	444	0.44	1 7/8
175/65-14	16	473	0.47	2
185/65-14	17	503	0.50	2 1/8
195/65-14	18	532	0.53	2 1/4
215/65-14	21	621	0.62	2 5/8
175/70-14	16	473	0.47	2
185/70-14	18	532	0.53	2 1/4
195/70-14	19	562	0.56	2 3/8
205/70-14	20	591	0.59	2 1/2
215/70-14	22	651	0.65	2 3/4
225/70-14	23	680	0.68	2 7/8
235/70-14	25	739	0.74	3 1/8
245/70-14	27	798	0.80	3 3/8
175/75-14	17	503	0.50	2 1/8
185/75-14	18	532	0.53	2 1/4
195/75-14	20	591	0.59	2 1/2
205/75-14	21	621	0.62	2 5/8
215/75-14	23	680	0.68	2 7/8
225/75-14	24	710	0.71	3

15" wheel

Tire size	oz	mL	L	Cup
4.00-15	9	266	0.27	1 1/8
4.40-15	10	296	0.30	1 1/4
5.00-15	12	355	0.36	1 1/2
5.70-15	14	414	0.41	1 3/4
5.9-15	15	444	0.44	1 7/8
6.00-15	15	444	0.44	1 7/8
6.70-15	17	503	0.50	2 1/8
6.85-15	18	532	0.53	2 1/4
7.00-15	19	562	0.56	2 3/8
7.10-15	19	562	0.56	2 3/8
7.35-15	20	591	0.59	2 1/2
7.50-15	20	591	0.59	2 1/2
7.60-15	21	621	0.62	2 5/8
7.75-15	21	621	0.62	2 5/8
8.25-15	24	710	0.71	3
8.55-15	25	739	0.74	3 1/8
8.85-15	26	769	0.77	3 1/4
9.00-15	27	798	0.80	3 3/8
10.00-15	31	917	0.92	3 7/8
11.00-15	36	1065	1.07	4 1/2
12.00-15	42	1242	1.24	5 1/4
25x7.50-15	19	562	0.56	2 3/8
25x10.50-15	26	769	0.77	3 1/4
25x12.50-15	31	917	0.92	3 7/8
27x9.50-15	26	769	0.77	3 1/4
27x10.50-15	28	828	0.83	3 1/2
28x8.50-15	24	710	0.71	3
28x9.00-15	25	739	0.74	3 1/8
28x12.00-15	34	1006	1.01	4 1/4
29x9.50-15	28	828	0.83	3 1/2
29x10.00-15	29	858	0.86	3 5/8
29x12.50-15	36	1065	1.07	4 1/2
30x9.50-15	29	858	0.86	3 5/8
31x10.50-15	33	976	0.98	4 1/8

31x11.50-15	36	1065	1.07	4 1/2
31x12.50-15	39	1153	1.15	4 7/8
31x13.50-15	42	1242	1.24	5 1/4
31x15.00-15	47	1390	1.39	5 7/8
32x9.50-15	30	887	0.89	3 3/4
32x11.50-15	37	1094	1.10	4 5/8
32x12.00-15	38	1124	1.12	4 3/4
32x15.00-15	48	1420	1.42	6
33x12.00-15	40	1183	1.18	5
33x12.50-15	41	1213	1.21	5 1/8
35x15.00-15	53	1567	1.57	6 5/8
36x11.00-15	40	1183	1.18	5
36x13.50-15	49	1449	1.45	6 1/8
38x16.00-15	61	1804	1.81	7 5/8
195/50-15	17	503	0.50	2 1/8
205/50-15	19	562	0.56	2 3/8
225/50-15	21	621	0.62	2 5/8
245/50-15	24	710	0.71	3
265/50-15	27	798	0.80	3 3/8
275/50-15	28	828	0.83	3 1/2
295/50-15	31	917	0.92	3 7/8
305/50-15	32	946	0.95	4
325/50-15	36	1065	1.07	4 1/2
195/55-15	18	532	0.53	2 1/4
205/55-15	19	562	0.56	2 3/8
225/55-15	22	651	0.65	2 3/4
255/55-15	26	769	0.77	3 1/4
185/60-15	17	503	0.50	2 1/8
195/60-15	19	562	0.56	2 3/8
205/60-15	20	591	0.59	2 1/2
215/60-15	21	621	0.62	2 5/8
225/60-15	23	680	0.68	2 7/8
235/60-15	24	710	0.71	3
245/60-15	26	769	0.77	3 1/4
255/60-15	27	798	0.80	3 3/8
265/60-15	29	858	0.86	3 5/8
275/60-15	30	887	0.89	3 3/4
295/60-15	34	1006	1.01	4 1/4
185/65-15	18	532	0.53	2 1/4
195/65-15	19	562	0.56	2 3/8
205/65-15	21	621	0.62	2 5/8
215/65-15	22	651	0.65	2 3/4
235/65-15	25	739	0.74	3 1/8
255/65-15	28	828	0.83	3 1/2
185/70-15	18	532	0.53	2 1/4
195/70-15	20	591	0.59	2 1/2
205/70-15	21	621	0.62	2 5/8
215/70-15	23	680	0.68	2 7/8
225/70-15	24	710	0.71	3
235/70-15	26	769	0.77	3 1/4
245/70-15	27	798	0.80	3 3/8
255/70-15	29	858	0.86	3 5/8
265/70-15	311	9198	9.21	38 7/8
275/70-15	33	976	0.98	4 1/8
195/75-15	20	591	0.59	2 1/2
205/75-15	22	651	0.65	2 3/4
215/75-15	23	680	0.68	2 7/8
225/75-15	25	739	0.74	3 1/8
235/75-15	27	798	0.80	3 3/8

265/75-15	32	946	0.95	4
365/80-15	55	1627	1.63	6 7/8
175/85-15	18	532	0.53	2 1/4
205/85-15	23	680	0.68	2 7/8

16" wheel

Tire size	oz	mL	L	Cup
6.00-16	16	473	0.47	2
6.50-16	17	503	0.50	2 1/8
7.00-16	19	562	0.56	2 3/8
7.50-16	21	621	0.62	2 5/8
8.00-16	23	680	0.68	2 7/8
8.25-16	24	710	0.71	3
9.00-16	28	828	0.83	3 1/2
10.00-16	32	946	0.95	4
11.00-16	37	1094	1.10	4 5/8
205/40-16	18	532	0.53	2 1/4
245/45-16	24	710	0.71	3
265/45-16	26	769	0.77	3 1/4
195/50-16	18	532	0.53	2 1/4
205/50-16	19	562	0.56	2 3/8
225/50-16	22	651	0.65	2 3/4
235/50-16	23	680	0.68	2 7/8
245/50-16	25	739	0.74	3 1/8
255/50-16	26	769	0.77	3 1/4
265/50-16	28	828	0.83	3 1/2
275/50-16	29	858	0.86	3 5/8
295/50-16	32	946	0.95	4
205/55-16	20	591	0.59	2 1/2
215/55-16	21	621	0.62	2 5/8
225/55-16	23	680	0.68	2 7/8
235/55-16	24	710	0.71	3
205/60-16	21	621	0.62	2 5/8
215/60-16	22	651	0.65	2 3/4
225/60-16	24	710	0.71	3
235/60-16	25	739	0.74	3 1/8
215/65-16	23	680	0.68	2 7/8
275/65-16	33	976	0.98	4 1/8
215/70-16	24	710	0.71	3
225/70-16	25	739	0.74	3 1/8
235/70-16	27	798	0.80	3 3/8
245/70-16	28	828	0.83	3 1/2
255/70-16	30	887	0.89	3 3/4
265/70-16	32	946	0.95	4
275/70-16	34	1006	1.01	4 1/4
280/70-16	35	1035	1.04	4 3/8
205/75-16	23	680	0.68	2 7/8
225/75-16	26	769	0.77	3 1/4
235/75-16	28	828	0.83	3 1/2
245/75-16	229	6772	6.78	28 5/8
265/75-16	33	976	0.98	4 1/8
155/80-16	16	473	0.47	2
215/85-16	26	769	0.77	3 1/4
225/85-16	28	828	0.83	3 1/2
235/85-16	29	858	0.86	3 5/8
245/85-16	31	917	0.92	3 7/8
255/85-16	33	976	0.98	4 1/8

17" wheel

Tire size	oz	mL	L	Cup
7.00-17	20	591	0.59	2 1/2
285/35-17	28	828	0.83	3 1/2
315/35-17	32	946	0.95	4
335/35-17	35	1035	1.04	4 3/8
245/40-17	24	710	0.71	3
275/50-17	28	828	0.83	3 1/2
285/40-17	29	858	0.86	3 5/8
225/45-17	22	651	0.65	2 3/4
235/45-17	23	680	0.68	2 7/8
245/45-17	25	739	0.74	3 1/8
255/45-17	26	769	0.77	3 1/4
305/45-17	33	976	0.98	4 1/8
315/45-17	35	1035	1.04	4 3/8
215/50-17	22	651	0.65	2 3/4
245/50-17	26	769	0.77	3 1/4
255/50-17	27	798	0.80	3 3/8
225/55-17	24	710	0.71	3
235/55-17	25	739	0.74	3 1/8
255/55-17	28	828	0.83	3 1/2
255/60-17	29	858	0.86	3 5/8
275/60-17	32	946	0.95	4
235/65-17	27	798	0.80	3 3/8
275/65-17	34	1006	1.01	4 1/4
265/70-17	33	976	0.98	4 1/8

17.5" wheel

Tire size	oz	mL	L	Cup
7.00-17.5	20	591	0.59	2 1/2
7.50-17.5	22	651	0.65	2 3/4
8.00-17.5	24	710	0.71	3
9.00-17.5	29	858	0.86	3 5/8
10.00-17.5	34	1006	1.01	4 1/4
11.00-17.5	39	1153	1.15	4 7/8
14.00-17.5	57	1686	1.69	7 1/8
215/75-17.5	26	769	0.77	3 1/4
235/75-17.5	29	858	0.86	3 5/8

18" wheel

Tire size	oz	mL	L	Cup
7.00-18	21	621	0.62	2 5/8
8.25-18	26	769	0.77	3 1/4
10.00-18	34	1006	1.01	4 1/4
335/30-18	34	1006	1.01	4 1/4
245/35-15	24	710	0.71	3
285/35-18	29	858	0.86	3 5/8
225/40-18	22	651	0.65	2 3/4
245/40-18	25	739	0.74	3 1/8
255/40-18	26	769	0.77	3 1/4
265/40-18	27	798	0.80	3 3/8
275/40-18	29	858	0.86	3 5/8
295/45-18	33	976	0.98	4 1/8
365/70-18	55	1627	1.63	6 7/8
400/70-18	63	1863	1.86	7 7/8
335/80-18	52	1538	1.54	6 1/2
340/80-18	53	1567	1.57	6 5/8

19.5" wheel

Tire size	oz	mL	L	Cup
-----------	----	----	---	-----

8.00-19.5	26	769	0.77	3 1/4
15.00-19.5	66	1952	1.95	8 1/4
16.50-19.5	77	2277	2.28	9 5/8
18.00-19.5	88	2603	2.60	11
19.50-19.5	100	2957	2.96	12 1/2
435/50-19.5	63	1863	1.86	7 7/8
445/55-19.5	68	2011	2.01	8 1/2
385/65-19.5	59	1745	1.75	7 3/8
445/65-19.5	74	2188	2.19	9 1/4
225/70-19.5	28	828	0.83	3 1/2
245/70-19.5	32	946	0.95	4
265/70-19.5	36	1065	1.07	4 1/2
285/70-19.5	40	1183	1.18	5
305/70-19.5	44	1301	1.30	5 1/2
445/70-19.5	77	2277	2.28	9 5/8
245/75-19.5	33	976	0.98	4 1/8
265/75-19.5	37	1094	1.10	4 5/8
285/75-19.5	41	1213	1.21	5 1/8
305/75-19.5	45	1331	1.33	5 5/8

20" wheel

Tire size	oz	mL	L	Cup
7.50-20	24	710	0.71	3
8.00-20	26	769	0.77	3 1/4
8.25-20	28	828	0.83	3 1/2
9.00-20	31	917	0.92	3 7/8
10.00-20	36	1065	1.07	4 1/2
10.30-20	38	1124	1.12	4 3/4
10.50-20	39	1153	1.15	4 7/8
11.00-20	42	1242	1.24	5 1/4
11.50-20	45	1331	1.33	5 5/8
12.00-20	48	1420	1.42	6
13.00-20	54	1597	1.60	6 3/4
14.00-20	60	1774	1.78	7 1/2
16.00-20	74	2188	2.19	9 1/4
275/35-20	30	887	0.89	3 3/4
245/40-20	27	798	0.80	3 3/8
295/40-20	34	1006	1.01	4 1/4
280/70-20	39	1153	1.15	4 7/8
300/70-20	43	1272	1.27	5 3/8
225/80-20	30	887	0.89	3 3/4
335/80-20	54	1597	1.60	6 3/4
365/80-20	62	1834	1.84	7 3/4
365/85-20	64	1893	1.89	8
395/85-20	72	2129	2.13	9

22.5" wheel

Tire size	oz	mL	L	Cup
8.00-22.5	28	828	0.83	3 1/2
9.00-22.5	34	1006	1.01	4 1/4
10.00-22.5	39	1153	1.15	4 7/8
11.00-22.5	45	1331	1.33	5 5/8
11.50-22.5	48	1420	1.42	6
12.00-22.5	51	1508	1.51	6 3/8
12.50-22.5	54	1597	1.60	6 3/4
13.00-22.5	57	1686	1.69	7 1/8
15.00-22.5	71	2100	2.10	8 7/8
16.00-22.5	78	2307	2.31	9 3/4
16.50-22.5	82	2425	2.43	10 1/4

18.00-22.5	94	2780	2.78	11 3/4
425/50-22.5	66	1952	1.95	8 1/4
445/50-22.5	70	2070	2.07	8 3/4
455/55-22.5	76	2248	2.25	9 1/2
225/60-22.5	29	858	0.86	3 5/8
295/60-22.5	42	1242	1.24	5 1/4
315/60-22.5	46	1360	1.36	5 3/4
385/65-22.5	64	1893	1.89	8
425/65-22.5	74	2188	2.19	9 1/4
445/65-22.5	79	2336	2.34	9 7/8
205/70-22.5	27	798	0.80	3 3/8
255/70-22.5	37	1094	1.10	4 5/8
265/70-22.5	39	1153	1.15	4 7/8
275/70-22.5	41	1213	1.21	5 1/8
295/70-22.5	45	1331	1.33	5 5/8
315/70-22.5	49	1449	1.45	6 1/8
365/70-22.5	61	1804	1.81	7 5/8
245/75-22.5	36	1065	1.07	4 1/2
265/75-22.5	40	1183	1.18	5
295/75-22.5	46	1360	1.36	5 3/4
305/75-22.5	49	1449	1.45	6 1/8
235/80-22.5	35	1035	1.04	4 3/8
255/80-22.5	39	1153	1.15	4 7/8
275/80-22.5	43	1272	1.27	5 3/8
295/80-22.5	48	1420	1.42	6
305/80-22.5	50	1479	1.48	6 1/4
315/80-22.5	53	1567	1.57	6 5/8
275/95-22.5	47	1390	1.39	5 7/8

24" wheel

Tire size	oz	mL	L	Cup
10.00-24	40	1183	1.18	5
11.00-24	46	1360	1.36	5 3/4
12.00-24	52	1538	1.54	6 1/2
13.00-24	59	1745	1.75	7 3/8
14.00-24	66	1952	1.95	8 1/4

24.5" wheel

Tire size	oz	mL	L	Cup
11.00-24.5	47	1390	1.39	5 7/8
12.00-24.5	53	1567	1.57	6 5/8
13.50-24.5	63	1863	1.86	7 7/8
285/75-24.5	46	1360	1.36	5 3/4
295/75-24.5	49	1449	1.45	6 1/8
305/75-24.5	51	1508	1.51	6 3/8
355/75-24.5	64	1893	1.89	8
275/80-24.5	45	1331	1.33	5 5/8
285/80-24.5	48	1420	1.42	6