

# Safety Data Sheet

## Prolong -30 (ProG)

### 1. IDENTIFICATION

**Product Identifier:** Prolong -30 (ProG)

**Canadian TDG:** Non regulated

**Synonyms:** Not applicable

**Chemical Family:** Not known

**Manufacturer/ Supplier:**

Western Seal Corp  
30 – 3703 Mitchelmore Avenue  
Saskatoon, SK  
S7P 0C5

**Prepared by:** The Environmental, Health and Safety Department of Western Seal Corp

**Preparation Date of SDS:** November 29, 2019

**Telephone number of preparer:** 306-260-6426

### 2. HAZARDS IDENTIFICATION

**GHS Classification**

Not classified as hazardous according to OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012).

**GHS Label element**

Not a hazardous substance or mixture.

**Signal Word:** Not Applicable

**Hazard Statement(s):** Not Applicable

**Precautionary Statement(s):** Not Applicable

**Other Hazards:** None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Concentration %
1,2-Propylene Glycol	57-55-6	30-60

**Notes**

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST AID MEASURES

### **First-aid Measures**

#### **Inhalation**

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If effects occur consult a physician.

#### **Skin Contact**

Flush with copious amounts of water as a precaution. If skin irritation or a rash occurs, get medical advice/attention.

#### **Eye Contact**

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Take care not to rinse contaminated water into the unaffected eye or onto the face. Remove contact lenses, if present and easy to do. If eye irritation persists, get medical advice/attention.

#### **Ingestion**

Wash out mouth with water. Remove dentures if any. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe.

### **Most Important Symptoms and Effects, Acute and Delayed**

None known.

### **Immediate Medical Attention and Special Treatment**

#### **Special Instructions**

Treat symptomatically and supportively.

## 5. FIRE-FIGHTING MEASURES

### **Extinguishing Media**

#### **Suitable Extinguishing Media**

Water spray, carbon dioxide, dry chemical powder or appropriate foam.

#### **Unsuitable Extinguishing Media**

Do not use direct water stream. May spread fire.

### **Specific Hazards Arising from the Chemical**

Exposure to combustion products may be a hazard to health.

### **Special Protective Equipment and Precautions for Fire-fighters**

Evacuate area. Approach fire from upwind to avoid hazardous vapours or gases. Before entry, especially into confined areas, use an appropriate monitor to check for: toxic gases or vapours, flammable or explosive atmosphere. Fire-fighters may enter the area if positive pressure SCBA and full Bunker Gear is worn. If there is potential for skin contact with concentrated cleaner: chemical protective clothing (e.g. chemical splash suit) and positive pressure SCBA may be necessary. See Skin Protection in Section 8 (Exposure Controls/Personal Protection) for advice on suitable chemical protective materials.

## 6. ACCIDENTAL RELEASE MEASURES

### **Personal Precautions, Protective Equipment, and Emergency Procedures**

Follow safe handling advice and personal protective equipment recommendations.

### Environmental Precautions

Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

### Methods and Materials for Containment and Cleaning Up

Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### Other Information

Report spills to local health, safety and environmental authorities, as required.

## 7. HANDLING AND STORAGE

### Precautions for Safe Handling

When handling diluted product: no special handling precautions are necessary. Use only with adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Take care to prevent spills, waste and minimize release to the environment.

### Conditions for Safe Storage

Keep in properly labeled containers. Store in accordance with the particular national regulations. Store separate from incompatible materials (see Section 10: Stability and Reactivity).

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

Ingredients	ACGIH® TLV®	OSHA PEL	IDLH
1,2-Propylene Glycol	1000 ppm	Not available	Not available

Consult local authorities for provincial or state exposure limits.

### Appropriate Engineering Controls

General ventilation is usually adequate. Provide eyewash and safety shower if contact or splash hazard exists. When handling large quantities of concentrated product: use a local exhaust ventilation and enclosure, if necessary, to control amount in the air.

### Individual Protection Measures

#### Eye/Face Protection

Do not get in eyes. Wear chemical safety goggles.

#### Skin Protection

Skin should be washed after contact.

#### Other Personal Protection Data:

Ensure that eyewash stations and safety showers are proximal to the work-station location. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

## 9. CHEMICAL AND PHYSICAL PROPERTIES

<b>Appearance</b>	Liquid
<b>Odour</b>	Mild
<b>Odour Threshold</b>	Not available
<b>pH</b>	Not available
<b>Melting Point/Freezing Point</b>	<-30°C / <-22°F(freezing)
<b>Initial Boiling Point/Range</b>	100°C / 212°F
<b>Flash Point</b>	>98.0 °C
<b>Evaporation Rate</b>	Not available
<b>Flammability (solid, gas)</b>	Not applicable (liquid).
<b>Upper/Lower Flammability or Explosive Limit</b>	Not available
<b>Vapour Pressure</b>	Not available
<b>Vapour Density (air = 1)</b>	Not available
<b>Relative Density (water = 1)</b>	Not available
<b>Solubility</b>	Not available
<b>Auto-ignition Temperature</b>	Not available
<b>Decomposition Temperature</b>	Not available
<b>Viscosity (dynamic)</b>	Not available
<b>Other Information</b>	
<b>Physical State:</b>	Liquid

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive. Not sensitive to mechanical impact.

### Chemical Stability

Normally stable.

### Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

### Conditions to Avoid

None known.

### Incompatible Materials

Oxidizing agents (e.g. peroxides)

### Hazardous Decomposition Products

Hazardous decomposition products depend upon temperature, air supply, and the presence of other materials. Hazardous decomposition products may include and are not limited to: aldehydes, ketones, organic acids.

## 11. TOXICOLOGICAL INFORMATION

### Likely Routes of Exposure

Inhalation; skin contact; eye contact; ingestion.

<b>Ingredients</b>	<b>LD50s and LC50s Route &amp; Species</b>
Propylene Glycol	Oral LD50 Rat = 20000 mg/kg Dermal LD50 Rabbit = 20800 mg/kg

**Potential Health Effects**

Eyes: Health injuries are not known or expected under normal use.  
 Skin: Health injuries are not known or expected under normal use.  
 Ingestion: Health injuries are not known or expected under normal use.  
 Inhalation: Health injuries are not known or expected under normal use.  
 Chronic Exposure: Prolonged skin contact is unlikely to result in absorption of harmful amounts.

**Acute Test of Product**

Acute oral toxicity: No data available  
 Acute inhalation toxicity: No data available  
 Acute dermal toxicity: No data available

**STOT (Specific Target Organ Toxicity) - Single Exposure Inhalation**

Evaluation of available data suggests that this material is not an STOT-SE toxicant.

**Aspiration Hazard**

Not an aspiration hazard.

**STOT (Specific Target Organ Toxicity) - Repeated Exposure**

Evaluation of available data suggests that this material is not an STOT-RE toxicant

**Skin Corrosion/Irritation**

Prolonged skin contact may cause temporary irritation.

**Serious Eye Damage/Eye Irritation**

No data available

**Respiratory or Skin Sensitization**

This product is not expected to cause respiratory or skin sensitization.

**Carcinogenicity**

This product is not considered to be a carcinogen by IARC, ACGIH, NTP or OSHA.

**Reproductive Toxicity**

This product is not expected to cause reproductive or developmental effects.

**Germ Cell Mutagenicity**

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Interactive Effects**

No information was located

**12. ECOLOGICAL INFORMATION**

<b>Ingredients</b>	<b>Ecotoxicity – Fish Species Data</b>	<b>Acute Crustaceans Toxicity:</b>	<b>Ecotoxicity – Freshwater Algae Data</b>
1,2-Propylene Glycol	LC50 96 h (Pimephalespromelas) 13500 mg/L	Not Available	Not available

## 13. DISPOSAL CONSIDERATIONS

### Disposal Methods

Recommended disposal methods are for the product, as sold. (Used material may contain other hazardous contaminants). The required hazard evaluation of the waste and compliance with the applicable hazardous waste laws are the responsibility of the user.

Disposal methods: Diluted product can be flushed to sanitary sewer.

Disposal considerations: Dispose of in accordance with local, state, and federal regulations.

## 14. TRANSPORT INFORMATION

### DOT (U.S.):

**DOT Shipping Name:** Not Regulated.

**DOT Hazardous Class:** Not Applicable.

**DOT UN Number:** Not Applicable.

**DOT Packing Group:** Not Applicable.

**DOT Reportable Quantity (lbs):** Not Available.

**Marine Pollutant:** No.

### TDG (Canada):

**TDG Shipping Name:** Not Regulated.

**Hazard Class:** Not Applicable.

**UN Number:** Not Applicable.

**Packing Group:** Not Applicable.

**Marine Pollutant:** No.

### Special Precautions for User

Not applicable

### Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## 15. REGULATORY INFORMATION

**U.S. TSCA Inventory Status:** All components of this product are either on the Toxic Substances Control Act (TSCA) Inventory List or exempt.

**Canadian DSL Inventory Status:** All components of this product are either on the Domestic Substances List (DSL), the Non-Domestic Substances List (NDSL) or exempt.

**California Proposition 65:** Not Listed.

**MA Right to Know List:** Listed.

**New Jersey Right-to-Know List:** Listed.

**Pennsylvania Right to Know List:** Listed.

## 16. OTHER INFORMATION

**Additional Information:** This product has been classified in accordance with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS) and the SDS contains all the information required by the Hazardous Products Regulations (HPR).

**Prepared by:** The Environmental, Health and Safety Department of Western Seal Corp

**Date of Latest Revision:** May 2, 2023

**Key to Abbreviations:** IARC = International Agency for Research on Cancer. Group 3 = Not classifiable as to its carcinogenicity to humans. ACGIH® = American Conference of Governmental Industrial Hygienists. A4 = Not classifiable as a human carcinogen. NTP = National Toxicology Program. OSHA = US Occupational Safety and Health Administration. ACGIH® = American Conference of Governmental Industrial Hygienists. TLV® = Threshold Limit Value. TWA = Time-Weighted Average. STEL = Short-term Exposure Limit. A4 = Not classifiable as a human carcinogen. OSHA = US Occupational Safety and Health Administration. PEL = Permissible Exposure Limits. IDLH = Immediately Dangerous to Life and Health.

**Disclaimer:** NOTICE TO READER:  
Western Seal Corp, Expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages.

Do not use ingredient information and/or ingredient percentages in this SDS as a product specification. For product specification information refer to a Product Specification Sheet and/or a Certificate of Analysis. These can be obtained from your local Western Seal Corp Sales Office.

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, Western Seal Corp makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Western Seal Corp's control and therefore users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.

\*\*\*END OF SDS\*\*\*